

From: [Casey Lockett](#)
To: [Gloria-Small Moran](#)
Cc: [Stephen Tzhone](#); [Cathy Gilmore](#)
Subject: Re: Edgcomb Letter - Your Input Will Be Needed for Response
Date: 05/21/2012 09:24 AM
Attachments: [RfR Guidance 1-20-04 FINAL.doc](#)
[SWRAUGuidance_a.pdf](#)
[ReuseProgramResponseto5.10.12LettertoGloria.docx](#)

Gloria,

My response is attached below, along with the relevant guidance. It clearly communicates the difference between the GPRA measure - Site Wide Ready for Reuse - and the Ready for Reuse Determination. The two were very muddled in the letter to you.

However, my response does not address their specific requests for coordination if/when we proceed with the Ready for Reuse Determination. Truthfully, if I need information from the site owner/RP, then I ask. And the stakeholders generally weigh in if there is a particular type of reuse that needs to be addressed in the RfR (like Big Tex). But otherwise, its an EPA document and there's not alot of coordination with owners/stakeholders. They don't see a draft, only the final after its signed by state and local government. Let's discuss the level of involvement of all stakeholders for the RfR so you can address it in the response letter.

Let me know if I addressed your two items below or if there needs to be additional information added.

Thanks,
Casey



RfR Guidance 1-20-04 FINAL.doc SWRAUGuidance_a.pdf ReuseProgramResponseto5.10.12LettertoGloria.docx

Casey Lockett Snyder
Remedial Project Manager/
Region 6 Superfund Reuse Coordinator
214.665.7393
lockett.casey@epa.gov

▼ Gloria-Small Moran---05/18/2012 05:48:48 PM---Hi Casey: I am back in the office. I have read Atty Edgcomb's letter dated May 10, 2012 to me. At

From: Gloria-Small Moran/R6/USEPA/US
To: Casey Lockett/R6/USEPA/US@EPA
Date: 05/18/2012 05:48 PM
Subject: Edgcomb Letter - Your Input Will Be Needed for Response

Hi Casey:

I am back in the office. I have read Atty Edgcomb's letter dated May 10, 2012 to

me. At some point, I will have to draft a response (Likely first week of June). Would you please take a look at the paragraphs concerning Ready for Reuse and be prepared to draft a response that I can incorporate into a letter?

In particular:

Are there notice requirements before a site-wide determination is made? If so, whom?

What are the pre-requisites for a determination? "normal technical administrative review?"

FYI, I am working on the issue of Curt's role as it involves the site. And, as you know, I am still responsible for the IC.

Gloria Moran
Assistant Regional Counsel
Superfund Branch (6RC-S)
U.S.EPA, Region 6
1445 Ross Avenue
Dallas TX 75202-2733
214-665-3193
214-665-6460 (fax)
moran.gloria-small@epamail.epa.gov